ELSEVIER

Epilepsy Research 20 (1995) 255–257

EPILEPSY RESEARCH

Author Index Volume 20 (1995)

Abramson, H., see Devinsky, O., 247
Adkison, K.D.K., Artru, A.A., Powers, K.M., Nochlin, D. and Shen, D.D.
Role of choroid plexus epithelium in the removal of valproic acid from the central nervous system, 185
Aldenkamp, A.P., Baker, G., Pieters, M.S.M., Schoemaker, H.C., Cohen, A.F. and Schwabe, S.
The Neurotoxicity Scale: The validity of a patient-based scale, assessing neurotoxicity, 229
Alper, K., see Devinsky, O., 247
Applegate, C.D., Pretel, S. and Piekut, D.T.
The substantia nigra pars reticulata, seizures and Fos expression, 31
Artru, A.A., see Adkison, K.D.K., 185

Badura, L.L., see Snyder, P.J., 203
Baker, G., see Aldenkamp, A.P., 229
Ben-Menachem, E., Hamberger, A., Hedner, T., Hammond, E.J., Uthman, B.M., Slater, J., Treig, T., Stefan, H., Ramsay, R.E., Wernicke, J.F. and Wilder, B.J.
Effects of vagus nerve stimulation on amino acids and other metabolites in the CSF of patients with partial seizures, 221

Calderon, J., see Devinsky, O., 247
Cascino, G.D., see Lorenzo, N.Y., 171
Cascino, G.D., see Trenerry, M.R., 69
Cavalheiro, E.A., see Leite, J.P., 93
Cohen, A.F., see Aldenkamp, A.P., 229

Devinsky, O., Abramson, H., Alper, K., FitzGerald, L.S., Perrine, K., Calderon, J. and Luciano, D.
Postictal psychosis: A case control series of 20 patients and 150 controls, 247
Devinsky, O., Faught, R.E., Wilder, B.J., Kanner, A.M., Kamin, M., Kramer, L.D. and Rosenberg, A.
Efficacy of felbamate monotherapy in patients undergoing presurgical evaluation of partial seizures, 241
Devinsky, O., see Gaillard, W.D., 77
Dreier, J.P., see Zhang, C.L., 105
Dršata, J., see Netopilová, M., 179

Faught, R.E., see Devinsky, O., 241
Fazilat, S., see Gaillard, W.D., 77
Ferraro, T.N., see Golden, G.T., 151
FitzGerald, L.S., see Devinsky, O., 247
Flamini, R., see Gaillard, W.D., 77
Fordyce, W.E., see Terndrup, T.E., 21

Gaillard, W.D., White, S., Malow, B., Flamini, R., Weinstein, S., Sato, S., Kufta, C., Schiff, S., Devinsky, O., Fazilat, S., Reeves, P. and Theodore, W.H.
FDG-PET in children and adolescents with partial seizures: Role in epilepsy surgery evaluation, 77
Ge, L., see Kumlien, E., 161
Glauser, T.A., Olberding, L.S., Titanic, M.K. and Piccirillo, D.M.
Felbamate in the treatment of acquired epileptic aphasia, 85
Golden, G.T., Smith, G.G., Ferraro, T.N. and Reyes, P.F.
Rat strain and age differences in kainic acid induced seizures, 151

Hamberger, A., see Ben-Menachem, E., 221
Hammond, E.J., see Ben-Menachem, E., 221
Harmsworth, W.L., see White, H.S., 41
Hatase, O., see Hosokawa, J., 11

Hedner, T., see Ben-Menachem, E., 221
Heinemann, U., see Zhang, C.L., 105
Hirschorn, K.A., see Lorenzo, N.Y., 171
Honmou, O., Kocsis, J.D. and Richerson, G.B.
Gabapentin potentiates the conductance increase induced by nipecotic acid in CA1 pyramidal neurons in vitro, 193
Hosokawa, J., Itano, T., Usuki, T., Tokuda, M., Matsui, H., Janjua, N.A., Suwaki, H., Okada, Y., Negi, T., Murakami, T.H., Konishi, R. and Hatase, O.
Morphological changes in the hippocampus in amygdaloid kindled mouse, 11

Itano, T., see Hosokawa, J., 11
Ivnik, R.J., see Trenerry, M.R., 69

Jack, Jr., C.R., see Lorenzo, N.Y., 171
Jack, Jr., C.R., see Trenerry, M.R., 69
Janjua, N.A., see Hosokawa, J., 11

Kamin, M., see Devinsky, O., 241
Kanner, A.M., see Devinsky, O., 241
Kapetanovic, I.M., Yonekawa, W.D. and Kupferberg, H.J.
The effects of anticonvulsant compounds on 4-aminopyridine-induced de novo synthesis of neurotransmitter amino acids in rat hippocampus in vitro, 113
Kapetanovic, I.M., see Yonekawa, W.D., 137
Kitchen, N.
Experimental and clinical studies on the putative therapeutic efficacy of cerebral irradiation (radiotherapy) in epilepsy, 1
Kocsis, J.D., see Honmou, O., 193
Konishi, R., see Hosokawa, J., 11
Kotagal, P., Lüders, H.O., Williams, G., Nichols, T.R. and McPherson, J.
Psychomotor seizures of temporal lobe onset: Analysis of symptom clusters and sequences, 49
Kramer, L.D., see Devinsky, O., 241
Kubová, H., see Netopilová, M., 179
Kufta, C., see Gaillard, W.D., 77
Kumlien, E., Sherif, F., Ge, L. and Oreland, L.
Platelet and brain GABA-transaminase and monoamine oxidase activities in patients with complex partial seizures, 161
Kupferberg, H.J., see Kapetanovic, I.M., 113
Kupferberg, H.J., see Yonekawa, W.D., 137

Leite, J.P. and Cavalheiro, E.A.
Effects of conventional antiepileptic drugs in a model of spontaneous recurrent seizures in rats, 93
Lorenzo, N.Y., Parisi, J.E., Cascino, G.D., Jack, Jr., C.R., Marsh, W.R. and Hirschorn, K.A.
Intractable frontal lobe epilepsy: Pathological and MRI features, 171
Luciano, D., see Devinsky, O., 247
Lüders, H.O., see Kotagal, P., 49

Malow, B., see Gaillard, W.D., 77
Mareš, P., see Netopilová, M., 179
Marsh, W.R., see Lorenzo, N.Y., 171
Matsui, H., see Hosokawa, J., 11
McPherson, J., see Kotagal, P., 49
Murakami, T.H., see Hosokawa, J., 11

Negi, T., see Hosokawa, J., 11
Netopilová, M., Dršata, J., Kubová, H. and Mareš, P.
Differences between immature and adult rats in brain glutamate decarboxylase inhibition by 3-mercaptopropionic acid, 179
Nichols, T.R., see Kotagal, P., 49
Nochlin, D., see Adkison, K.D.K., 185

Okada, Y., see Hosokawa, J., 11
Olberding, L.S., see Glauser, T.A., 85
Oreland, L., see Kumlien, E., 161

Parisi, J.E., see Lorenzo, N.Y., 171
Perrine, K., see Devinsky, O., 247
Piccirillo, D.M., see Glauser, T.A., 85
Piekut, D.T., see Applegate, C.D., 31
Pieters, M.S.M., see Aldenkamp, A.P., 229
Powers, K.M., see Adkison, K.D.K., 185
Pretel, S., see Applegate, C.D., 31

Ramsay, R.E., see Ben-Menachem, E., 221
Reeves, P., see Gaillard, W.D., 77
Reyes, P.F., see Golden, G.T., 151
Richerson, G.B., see Honmou, O., 193
Rosenberg, A., see Devinsky, O., 241
Rubinstein, B.K., see Walton, N.Y., 121
Rutecki, P.A.
Noradrenergic modulation of epileptiform activity in the hippocampus, 125

Sato, S., see Gaillard, W.D., 77
Schiff, S., see Gaillard, W.D., 77
Schoemaker, H.C., see Aldenkamp, A.P., 229
Schwabe, S., see Aldenkamp, A.P., 229
Sharbrough, F.W., see Trenerry, M.R., 69
Shen, D.D., see Adkison, K.D.K., 185
Sherif, F., see Kumlien, E., 161
Slater, J., see Ben-Menachem, E., 221
Smith, G.G., see Golden, G.T., 151
Snyder, P.J. and Badura, L.L.
Chronic administration of sodium valproic acid slows pubertal maturation in inbred DBA/2J mice: Skeletal, histological, and endocrinological evidence, 203
Sofia, R.D., see White, H.S., 41
Stefan, H., see Ben-Menachem, E., 221
Suwaki, H., see Hosokawa, J., 11

Terndrup, T.E. and Fordyce, W.E.
Respiratory drive during status epilepticus and its treatment: Comparison of diazepam and lorazepam, 21
Theodore, W.H., see Gaillard, W.D., 77
Titanic, M.K., see Glauser, T.A., 85
Tokuda, M., see Hosokawa, J., 11
Treig, T., see Ben-Menachem, E., 221
Treiman, D.M., see Walton, N.Y., 121
Trenerry, M.R., Jack, Jr., C.R., Cascino, G.D., Sharbrough, F.W. and Ivnik, R.J.
Gender differences in post-temporal lobectomy verbal memory and relationships between MRI hippocampal volumes and preoperative verbal memory, 69
Tsuru, N., see Ueda, Y., 213

Ueda, Y. and Tsuru, N.
Simultaneous monitoring of the seizure-related changes in extracellular glutamate and γ-aminobutyric acid concentration in bilateral hippocampi following development of amygdaloid kindling, 213
Usuki, T., see Hosokawa, J., 11
Uthman, B.M., see Ben-Menachem, E., 221

Walton, N.Y., Rubinstein, B.K. and Treiman, D.M.
Cardiac hypertrophy secondary to status epilepticus in the rat, 121
Weinstein, S., see Gaillard, W.D., 77
Wernicke, J.F., see Ben-Menachem, E., 221
White, H.S., Harmsworth, W.L., Sofia, R.D. and Wolf, H.H.
Felbamate modulates the strychnine-insensitive glycine receptor, 41
White, S., see Gaillard, W.D., 77
Wilder, B.J., see Ben-Menachem, E., 221
Wilder, B.J., see Devinsky, O., 241
Williams, G., see Kotagal, P., 49
Wolf, H.H., see White, H.S., 41

Yonekawa, W.D., Kapetanovic, I.M. and Kupferberg, H.J.
The effects of anticonvulsant agents on 4-aminopyridine induced epileptiform activity in rat hippocampus in vitro, 137
Yonekawa, W.D., see Kapetanovic, I.M., 113

Zhang, C.L., Dreier, J.P. and Heinemann, U.
Paroxysmal epileptiform discharges in temporal lobe slices after prolonged exposure to low magnesium are resistant to clinically used anticonvulsants, 105